



# XOJIA ARCHERY

**ARCHERY & HUNTING**

YOUR TRUSTED ARCHERY SUPPLIER

**2026**


# About US



Welcome to YoJi Archery, We committed to providing professional and high quality products, We have over 15 years experience of manufacturing bows, arrows and other archery accessories.

From Fletching to Points, YoJi Archery Provide one-stop supply for you Archery supplies: arrows, feathers, nocks, pins, vanes, broadhead and so much more. we provide special price for wholesalers and retailers to seek longterm cooperation. Besides, Support small batch trial orders (minimum order of 50 pieces), providing you with full-link supporting services for archery equipment.

## Why choose us?



The company has many years of production experience, imported production equipment and technology, and continuously improves, innovates and develops products. It has a complete range of accessories to meet one-stop purchasing needs.



### MATERIAL SELECTION

Select suitable materials for batch processing according to customer requirements



### CNC LATHE PROCESSING

Select corresponding machine tools for processing according to drawing requirements and specifications.



### SURFACE TREATMENT

Surface treatment according to customer requirements: ordinary anodizing, hard oxidation, blackening, vacuum plating and other surface treatment processes

**.204**  
**SERIES**

## **.204" Carbon Fiber Arrow**

**PRECISION ENGINEERED FOR PERFORMANCE**

Straightness: +/- .003"

Material: 100% pure carbon shaft, plastic feathers

Arrow Feather: 4.2 cm/1.77 inch plastic feather (2 red 1 white)

Spine: 350 400 500 600 700 800 900 1000

ID:4.2mm

OD:

Spine 500 OD=5.82mm 16g

Spine 600 OD=5.72mm 14g

Spine 700 OD=5.55mm 12.4g

Spine 800 OD=5.41mm 12g

Spine 900 OD=5.36mm 11g

Spine 1000 OD=5.35mm 10g

Shaft length : 31 inch

1.75 inch  
parabolic  
tpu fletching


80grain  
Stainless steel  
point

You can print your logo on the arrow shaft

## **COLORS**



## **ACCESSORIES**



**If you need other sizes, Please email us when ordering,  
We customize the size you want for you.**

**.204**  
**SERIES**

## **.204" Mixed Carbon Arrow**

PRECISION ENGINEERED FOR PEAK PERFORMANCE

Shaft Length: 28" - 32"

Shaft: Mixed carbon

Nock: Pin nock

Feather shape: streamline or shield shape

Feather color: white/red/black/blue/green/yellow/purple

Shaft ID: 4.2MM

Spine: 400-800

straightness: 0.001-0.003

Customized service support

Specification customization: arrow shaft length (26"-32"), feather color, arrowhead type (target, Broadhead) produced on demand;

Brand customization: LOGO Screen printing or thermal transfer


OEM/ODM packaging;



## **COLORS**



## **ACCESSORIES**



**.244**  
**SERIES**

## **.244" Carbon Fiber Arrow**

### PRECISION ENGINEERED FOR PERFORMANCE

They are solid & well made. Precision carbon hunting arrows made for extended durability and long lasting target practice.

#### Specification:

- I.D.: 6.2 mm
- Shaft Length: 22-36 inch
- Shaft material: Pure Carbon
- Vane: 3 inch TPU Streamline Feather
- Spine: 300-1200
- Point: 100 grains field point
- Nock: Insert Nock
- Bow Usage: Recurve Bow, Compound bow

### COLORS



### ACCESSORIES



**.244**  
**SERIES**

## **.244" Carbon Fiber Arrow**

### PRECISION ENGINEERED FOR PERFORMANCE

They are solid & well made. Precision carbon hunting arrows made for extended durability and long lasting target practice.

#### Specification:

- I.D.: 6.2 mm
- Shaft Length: 22-36 inch
- Shaft material: Pure Carbon
- Vane: 3 inch TPU Streamline Feather
- Spine: 300-1200
- Point: 100 grains field point
- Nock: Insert Nock
- Bow Usage: Recurve Bow, Compound bow

### COLORS



### ACCESSORIES



**.244**  
**SERIES**

## .244" Mixed Carbon Arrow

### PRECISION ENGINEERED FOR PEAK PERFORMANCE

#### Hybrid Carbon Core

- Patented carbon-aluminum blend for optimal weight-to-strength ratio
- 20% faster acceleration vs. standard carbon arrows

#### 6.2mm Micro-Diameter Design

- Reduced wind drift & improved penetration
- 0.003" straightness tolerance for tournament-grade accuracy

## COLORS



## ACCESSORIES



## SPECIFICATIONS CHART

SPINE	Outer Diameter(mm)	Weight	1BS
600	5.68	352gr	22-34
700	5.57	308gr	20-26
800	5.32	288gr	10-22

100grain  
Field point

2inch  
Tiger  
tpu fletching

You can print your logo on the arrow shaft

**.244**  
**SERIES**

## .244" Mixed Carbon Arrow

### PRECISION ENGINEERED FOR PEAK PERFORMANCE

#### Hybrid Carbon Core

- Patented carbon-aluminum blend for optimal weight-to-strength ratio
- 20% faster acceleration vs. standard carbon arrows

#### 6.2mm Micro-Diameter Design

- Reduced wind drift & improved penetration
- 0.003" straightness tolerance for tournament-grade accuracy


## COLORS



Blue+White



Red+White



## ACCESSORIES



## SPECIFICATIONS CHART

SPINE	Outer Diameter(mm)	Weight	1BS
600	5.68	352gr	22-34
700	5.57	308gr	20-26
800	5.32	288gr	10-22

3inch  
parabolic  
tpu fletching

100grain  
Field point

You can print your logo on the arrow shaft

**.244  
SERIES**

## **.244" Mixed Carbon Arrow**

### PRECISION ENGINEERED FOR PEAK PERFORMANCE

#### Hybrid Carbon Core

- Patented carbon-aluminum blend for optimal weight-to-strength ratio
- 20% faster acceleration vs. standard carbon arrows

#### 6.2mm Micro-Diameter Design

- Reduced wind drift & improved penetration
- 0.003" straightness tolerance for tournament-grade accuracy

## COLORS



Blue+White



Orange+White

## ACCESSORIES



## SPECIFICATIONS CHART

SPINE	Outer Diameter(mm)	Weight	1BS
600	5.68	352gr	22-34
700	5.57	308gr	20-26
800	5.32	288gr	10-22

3inch  
parabolic  
tpu fletching

100grain  
Field point

You can print your logo on the arrow shaft

**.244**  
**SERIES**

## .244" Mixed Carbon Arrow

### PRECISION ENGINEERED FOR PEAK PERFORMANCE

#### Hybrid Carbon Core

- Patented carbon-aluminum blend for optimal weight-to-strength ratio
- 20% faster acceleration vs. standard carbon arrows

#### 4.2mm Micro-Diameter Design

- Reduced wind drift & improved penetration
- 0.003" straightness tolerance for tournament-grade accuracy

## COLORS



## ACCESSORIES



## SPECIFICATIONS CHART

SPINE	Outer Diameter(mm)	Weight	1BS
600	5.68	352gr	22-34
700	5.57	308gr	20-26
800	5.32	288gr	10-22

100grain  
Field point

4inch  
Shield  
Turkey Feather

You can print your logo on the arrow shaft

**.0300  
SERIES**

## Mixed Carbon Shaft Crossbow Bolts

PRECISION ENGINEERED FOR PEAK PERFORMANCE

Specification:

Shaft I.D.: 7.76 mm

Shaft O.D.: 8.8mm

Length: 16-22 inch

Plastic Vanes: 4 Inch

Vane Color: Purple; Green; Blue; Red

GPI: 10.5 grains/inch

Straightness: +/-0.006 inch

Nock: Plastic Half Moon Nock

Arrow Head Weight: 125 grain (+/-2 grain) + Aluminum Insert

Shaft Material: Mixed Carbon

Total Arrow Weight: 482 grains (tolerance: +/-3 grain)

### COLORS



### ACCESSORIES



4inch  
parabolic  
tpu fletching


100grain  
Field point

You can print your logo on the arrow shaft




# Vanes & feathers Series

## PARABOLIC ARROW VANE



Standards elasticity and hardness Matte surface texture  
 Strong recovery after the glue on the shaft, such as bending fold,  
 just use hot water above 85 degrees, or water vapor, can be restored  
 Material: Plastic TPU  
 Size: 1.75" 2" 3" 4" inch streamline

## SHIELD ARROW VANE



Standards elasticity and hardness Matte surface texture  
 Strong recovery after the glue on the shaft, such as bending fold,  
 just use hot water above 85 degrees, or water vapor, can be restored  
 Material: Plastic TPU  
 Size: 1.75" 2" 3" 4" inch streamline



## SHIELD ARROW VANE



Size: 2 inch  
 Material: Plastic  
 standards elasticity and hardness Matte surface texture  
 Strong recovery after the glue on the shaft, such as bending fold,  
 just use hot water above 85 degrees, or water vapor, can be restored

# Feathers

We use only the best quality - real turkey feathers  
 for our natural feathers.  
 They're beautiful, resilient, lightweight, and able to guide  
 your arrows for the best, most accurate flight possible.



## SOLID



Sky Blue



Pink



Black



Purple



White



Red



Yellow



Dark Green



Orange



Dark Blue



Bright Green



Bright Yellow



Light Green



Brown



Grey



Denim Blue



Olive Green



Dark Red

## BARRED



Sky Blue



Pink



Purple



White



Red



Yellow



Green



Orange



Dark Blue



Bright Green



Brown



Grey

# Insert Nock

## 4.2MM (.166") NOCK

Item number | #162420  
 Material:- Plastic  
 Fit:- .166" ID Shaft



## .244/.245" (6.2MM) INSERT NOCK



Item number | #162620  
 Material:- Plastic  
 Fit:- .244" ID Shaft  
 Available Colors:  
 Solid Black Clear Yellow  
 Solid Red Clear Blue  
 Solid Orange Clear Red  
 Solid White Clear Green  
 Solid Green Clear White  
 Solid Yellow Clear Purple



## Pin Nock


S size is used for 10-14 strands of bowstring  
 L sizes is used for more than 16 strands of bowstring

- Material: Plastic
- Suit to: 4.2mm, 6.2mm of bushing
- Weight: about 3.0g
- Use: DIY Arrow



## Arrow Nock Bushing

- Material: Aluminum
- Suit to: Pin Nock
- Fits: 4.2mm, 6.2mm Shaft
- Weight: 11.4g 22.0g
- Use: DIY Arrow
- Color: Silver



## SHAFT END PROTECTOR RING

Protective Sleeve that Can be Used on Either the Front or the Back of the shaft  
 Prevents the Shaft from Splintering or Cracking Upon Impacts  
 Lipped Design Provides a Square Base for Insert Points and Nocks to Fit on  
 Machined from Stainless Steel;

Weight: 3-5gr

(Small Sizes Weight 3grains, Weight Increases as the Protector Ring Gets Larger)

Available Sizes(mm):

Suit to .166"(4.2mm) Shaft #16442

Suit to .245"(6.2mm) Shaft #16462

Available Colors:

Silver Gold Red  
 Black Green Blue



# Arrow Nock Series

## HALF-MOON NOCK

Material:- Plastic  
 for Crossbow Bolt  
 Available Colors:  
 Black  
 Green



# Outsert Nock

## 6mm (ID)



## 7mm (ID)



## 8mm (ID)



# Lighted Nock Series

## .165"/4.2mm luminous arrow nock

Usage size: 4.2mm inner diameter universal arrow shaft  
 Battery capacity: it can be used continuously for 36 hours



## LED luminous nock 4.2mm with 1 nock bushing

Usage size: 4.2mm inner diameter universal arrow shaft  
 Battery capacity: it can be used continuously for 36 hours



## .204"/5.2mm lighted nock with 3 bushing

**48 hour BATTERY life**



## 6.4mm automatic luminous crossbow nock plus 4 bushings

**48 hour BATTERY life**



## .245"/6.2mm luminous arrow nock

Usage size: 6.2mm inner diameter universal arrow shaft  
 Battery capacity: it can be used continuously for 36 hours



## .245"/6.2mm Lighted Nocks with tools

Usage size: 6.2mm inner diameter universal arrow shaft  
 Battery capacity: it can be used continuously for 36 hours



## 7.62mm automatic luminous crossbow nock

Usage size: 7.62mm inner diameter universal arrow shaft  
 Battery capacity: it can be used continuously for 48 hours



## 7.62mm Half moon style Lighted crossbow nock with tool




# Arrow Points Series


## X10 Break-off system Tungsten Points

### WHY TUNGSTEN?

- Harder:** Compare with Stainless Steel, it is much harder
- FOC:** High Density makes points smaller, so you can easy make the FOC range in 7%-15% (Indoor) or 10-15%(Outdoor)
- Without magnetism:** Unique formula makes point non-magnetic



### Available colors



**BREAK-OFF:** Two or even four break-offs are equipped at the end of point, this system give more flexibility to weight adjustment.

**BULLET SHAPE:** This classic head shape is used very often in target shooting, it is suitable for any archery event.

**MULTICOLOR:** Gold, black color coating are made of electroplated titanium, bright in color, having very great wear resistance, not fade after tens of thousands of shots.

**GLUE GROOVE:** Glue groove under the head for better adhesion to arrow shaft.

## X10 Break-off System Stainless Steel Points

### Break-off System:

A standard arrowhead equipped with one or more break-offs at its end. This break-off system gives high flexibility for arrow tuning.



## 4.2mm Stainless Steel Break-off Point



Arrow Points for ID4.2mm arrow shaft.80,100,120,130,170,200,230 grain for your choose.



Adopt Super Stainless material ,Very durable Well made and Easy to install, Ideal for shooting and practicing use.



### 8-32 Threads Steel Field Point



#8-32 Standard thread, High precision CNC lathe, Screw in Arrow Points Design—The archery points fits all

**Weight:**  
60grain 75grain 100grain 125grain 150grain 175grain  
200grain 250grain 300grain

### 8-32 Threads Stainless Steel Point



**Weight:**  
100 Grain, 125 Grain, 150 Grain, 200 Grain, 250 Grain, 300 Grain  
Material: Stainless Steel  
Thread: universal thread  
Fit for: Standard Arrow Shaft  
Item Diameter: 5/16 (7.93mm), 9/32 (7.14mm), 19/64 (7.54mm)  
Total Length:  
100grain - 38.7mm  
125grain - 46.2mm  
150grain - 51.8mm  
200grain - 62.1mm  
250grain - 72.2mm  
300grain - 82.4mm

### Black Steel Bullet Point



Built in O-ring System that Prevents the Field Tip from Vibrating Loose Perfect for Target Practice in Foam or Plastic Targets  
Material: Steel  
Weight: 100/125grain  
Color: Black  
Product Length: 1.26"  
Product Width: 0.312"  
Product Height: 0.312"

### Steel Bullet Arrowhead (100/125grain, Gold)



High quality Steel Material, Very Good hardness and durable. Screw-in Field Points Precision machined.  
Item Name: Archery Bullet Arrowheads

Weight: 100grains/125grain  
Material: Steel  
Length: 1.28" / 32.6mm  
Thread Screw: 8-32 Standard Thread



Material	Height	I.D.
Steel	22.5mm	.236"/6mm

Material	Height	I.D.
Steel	22.5mm	.276"/7mm



Material	Height	I.D.
Steel	33mm	.236"/6mm

Material	Height	I.D.
Steel	37.4mm	.276"/7mm



Material	Height	I.D.
Steel	34.5mm	.276"/7mm

Material	Height	I.D.	Color
Steel	37.4mm	.315"/8mm	Silver Black Gold Nickel

# Broadheads Series

## Fiexd

### X3 100/125Grain Fixed Broadheads



Threaded: 8-32  
Shape: one-piece molding  
Color: silver gray  
Material: stainless steel  
Weight: 100/125 Grain

### S2 100 Grain Fixed Hunting Broadheads



Model: S2-100  
Material: stainless steel  
Overall length: 37.8 mm / 1.48 inches  
Maximum diameter: 27 mm / 1.06 inches  
Net weight: 6.5 g / 100 grains

### S3 Broadheads Sharp 3-Blade



Item Name: Archery Arrowheads  
Material: Stainless Steel  
Weight: 100 Grain/6.5g  
Length: 40mm  
Widest point: 26mm

### Metal powder injection molding Broadhead



Grain Weight: 136 Grain  
Weight: 8.8g  
Length: 4.68cm  
Cutting Diameter: 1.1"  
Processing: Metal powder injection molding

### X5 100 Fixed Broadheads Silver



Item Name: Hollow 3 Blade Broadheads  
Material: Stainless Steel  
Grain Weight: 106 Grain / 6.9g  
Package : 6pcs arrowheads  
Length: 1.96"/4.99cm  
Cutting Diameter: 0.94" / 2.4cm

### X5 100 Fixed Broadheads Silver



Material Powder: metallurgy  
Weight: 100 Grain  
Thread Type: Standard Thread  
Features: Sharp, Durable, Easy to install  
Dimension: 32\*22 mm / 1.2\*0.8 in  
Total Length: 52mm/2 in

### 100 Grain Teflon Surface Treatment Broadhead



Material: Stainless steel  
Color: Black  
Length: Approx. 5.6cm  
Arrow Diameter: Approx. 2.1cm  
Weight: About 100grain  
3 blades sharp broadhead with screw

### 100 Grain 3 Blade Broadheads Stainless Steel



Material: Stainless Steel  
Cutting Diameter: 1.07"  
Blade thickness: 0.4 mm/.015"  
Size: 2.79" L x 1.1" W  
Weight: 6.5 g/100 grains

### Hunting Broadheads 3 Blades



with 3 sharp blades  
Total length Approx. 2.1"  
cutting diameter Approx. 1" Blade  
Thickness Approx. 0.7 mm  
weighing 100 grain

### 100grain 4 Blade Serrated broadhead



Material: stainless steel  
Fit for: inner diameter 6.2mm  
Weight: 100 Grain

### 2 Blade 100grain screw-in arrowhead



Arrowheads Weight: 100 Grain/6.5g  
Material: Stainless Steel  
Length: 64mm/2.52inch  
Width: 24mm/0.95inch  
Color: black, red, yellow, blue, green, silver

### Single bevel Broadhead 125 Grain



Color: black and silver  
Weight: 125 grain  
Cutting diameter: about 1.2in/3.1cm  
Blade: Single bevel  
Length: about 2.4 in/6.1cm

### 3 Blades Hunting Broadheads



with 3 sharp blades  
Weight: 100grain  
Color: Silver; Gold; Black; Red; Green  
Cutting DIA: 1.2"/30mm

### 4 Blades Hunting Broadheads 100/125gr



Weight: 125/100 grain (without the screw)  
Material: Stainless Steel  
Length: 2.5" Cutting Diameter: 1.22"  
Fit for: ID 6.2 Standard Arrow Shaft

### 4 blade 185 grain broadhead for hunting turkey



Material: Stainless Steel  
Grain Weight: 185 Grain/12g  
Length: 4.48cm  
Blade Length: 10cm